200100006

No.

THE UNIVERSION OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Growers Management, Inc., Roth Jarms, Inc., and TKM Jarms, Inc.

MICECUS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS BROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID GOPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW. THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY FEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC SPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR ING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ORPOSE, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED TO THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

LETTUCE

'Terrapin'

In Jestimonn Marcest, I have hereunto set my hand and caused the seal of the Plant Hariety Frotection Office to be affixed at the City of Washington, D.C. this fourteenth day of Tebruary, in the year two thousand and six.

Altest:

Commissioner

Commissioner

Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Agriculture

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE

The following state-nents are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

Application is required in order to determine if a plant variety protection certificate is to be issued

(Instructions and information collection but 1 NAME OF OWNER Growers Manageme Florida Vand TKM Farms, Inc	nt, Inc , Roth Fari	1/2/2000	2. TEMPORARY DESIGNATION EXPERIMENTAL NAME	on or 3. variety name Terrapin
4401 Easp.O. Box 130 Orlando, Belle Grade, FL 334		PAD 7/29/05	5. TELEPHONE (include area 561-996-6469 6. FAX (include area code) 561-996-6480	PVPO NUMBER 2001000
7. IF THE OWNER NAMED IS NOT A "PERSON", GIVE FORI ORGANIZATION (corporation, partnership, association, etc. Association		CORPORATED, GIVE TE OF INCORPORATION	9. DATE OF INCORPORATION ACOCO, 1964,	
10 NAME AND ADDRESS OF OWNER REPRESENTATIVE(: Marcel Bruins Marcel Bruins Florida Vegetable Exchange Nude 54D 6702 DN Wageningen The Netherlands	David Basor Physical Add	e Iress: 1100 N. M ress: P.O. Box 1	ain Street, Ste D	FILING AND EXAMINATION FEES: \$ 2705 00 CE DATE D 1 00 CE DATE DATE
	nde area code) 51 996-6480	13. E_MAIL growersmgt(a) 16. FAMILY NAME (Botanica		14. CROP KIND (Common Name) Lettuce 17. IS THE VARIETY A FIRST GENERATION HYBRID?
Lactuca Sativa 18. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT: reverse) a.	riety Optional) Ownership x, for tuber propagated varieties	20. DOES THE O	WINER SPECIFY THAT SEED O SEED? See Section 83(a) of I (ES (II "yes", answer items 20 and 21 below) WINER SPECIFY THAT SEED O FIONS?	F THIS VARIETY BE SOLD AS A CLASS OF the Plant Variety Protection Act) NO (II *no,* go to item 22) F THIS VARIETY BE LIMITED AS TO NUMBER NO PRODUCTION BEYOND BREEDER SEED?
repository) g. Figing and Examination Fee (\$2,450), made pays States" (Mail to the Plant Variety Protection Office 22. HAS THE VARIETY (INCLUDING ANY HARVESTED MATI FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TRAN OTHER COUNTRIES? YES US 10/12/99 IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALL FOR EACH COUNTRY AND THE CIRCUMSTANCES. (P)	ERIAL) OR A HYBRID PRODUC ISFERRED, OR USED IN THE NO	CED 23. IS THE VARIE U. S. OR PROPERTY F	RIGHT <i>(PLANT BREEDER'S</i> RIG /ES	THE VARIETY PROTECTED BY INTELLECTUAL HT OR PATENT!? NO FILING OR ISSUANCE AND ASSIGNED
24. The owners declare that a viable sample of basic seed of the for a tuber propagated variety a tissue culture will be deposed. The undersigned owner(s) is(are) the owner of this sexually and is entitled to protection under the provisions of Section Owner(s) is(are) informed that false representation herein of SIGNATURE OF OWNER	reproduced or tuber propagate 42 of the Plant Variety Protection	meintained for the duration of the id plant variety, and believe(s) the in Act, suft in penalties. SIGNATURE OF (certificate: at the variety is new, distinct, unit	-
Paul Orsenigo CAPACITY OR TITLE President, Florida Vegetable Exch	DATE 10-9-00	CAPACITY OR TI		DATE

Exhibit A Origin and Breeding History

Terrapin is the product of a cross made in 1990 between Cos II and Tall Guzmaine. Cos II is a robust, romaine type lettuce, but susceptible to corky root rot (CRR). Tall Guzmaine is a cultivar well adjusted to south Florida organic soil and tolerant to CRR.

The F1 was grown in the greenhouse and the seed was harvested in bulk. The F2 was grown in CRR infected organic soil and plant selections were initiated. Each plant selection was lifted and grown in the greenhouse for seed production. Seeds of the plant selected were sent in April to California for seed increase. Those California seed increases were planted in the fall in Florida for further observation and plant selections. This procedure was repeated until the desired uniformity, head size, quality, and tolerance to CRR was obtained in 1998. Further large-scale evaluations were made at least three times in early 1998, 1999, and 2000, and good resistance to CRR, excellent uniformity, yields, and quality were obtained. Concurrently, seeds were harvested in bulk and planted in large plots. Commercial fresh lettuce production in 1999-2000 was enthusiastically accepted by the trade and consumers. Terrapin is significantly superior in weight, height and quality than the standard cultivars grown in Florida.

Subsequent sexual reproductions were made in 1998, 1999, and 2000. In the 3 noted generations no off-types were noted. The variety is stable and uniform without any variants or off-types noted.

Terrapin differs from the female parent in that is resistant to CRR and the female parent is susceptible. It differs from the male parent in its plant height.

Regarding your question concerning Cos II, the female parent of "Terrapin", I have spoken with Dr. Victor Guzman to try to determine the history of Cos II. Cos II was a single plant selection that was made by Dr. Guzman. He has no recollection or records of the origin of Cos II. Therefore, Cos II is considered an unknown variety in Dr. Guzman's breeding program. Cos II was only used one time for the "Terrapin" cross. There was no stock seed kept from Cos II and therefore it will not be used in his program in the future.

Exhibit B Statement of Distinctness

Terrapin most closely resembles Floricos 83 but is taller in height and heavier in weight. See Table A.

I would also ask that you amend our Exhibit B to state that "Terrapin" has white seed and Floricos 83 has black seed.

Analysis of Plant Heights and Weights of Two Lettuce Varieties

Summary.

The mean plant height and plant weight was significantly greater for Terrapin compared to Floricos 83. On average, Terrapin is 6.44 cm taller (range: 7.5 to 5.4) and 388 g heavier (range: 513 to 264) than Floricos 83.

Details.

Table A lists the data for two lettuce varieties that were compared for mean plant height and weight. The data were compared using the t test procedure from SAS statististical software.

Table A. Mean plant heights and weights for 25 plants of two lettuce varieties.

	Plant HT (cm)			Plant WT (g)		
Plant #	Terrapin	Floricos 83	Terrapin	Floricos 83		
1	42	33	1615	1195		
2	40	37	1005	755		
3	46	37	1340	1080		
4	41	38	1655	1015		
5	45	36	1275	1040		
6	40	34	1620	605		
7	45	39	1185	1230		
8	43	39	1255	1055		
9	46	36	850	765		
10	41	37	1385	1005		
11	42	37	1360	930		
12	44	36	1255	985		
13	44	36	1065	945		
14	43	39	1375	850		
15	46	40	950	1070		
16	45	39	1735	825		
17	43	40	1755	1025		
18	44	34	1645	985		
19	42	34	915	775		
20	44	36	1305	675		
21	46	37	1110	1140		
22	42	38	1440	1205		
23	45	38	1385	1045		
24	41	36	1465	750		
25	44	37	1590	880		
Mean	43.4	36.9	1341	953		

The above measurements and weights were taken in Belleglade, Florida on 3/9/00. From a 12/29/99 planting.

The results of the SAS output are presented in Appendix 1 and summarized in tables B and C. Table B shows that the probability is very high that the variances for plant height are equal between the two varieties, so the pooled variance method is used to calculate the probability for differences in plant height between the two varieties. The probability that the variances are equal for plant weight, however, is fairly low, and if we use a 0.05 probability as a minimum we would conclude that the variances are not equal and calculate the probability for differences in plant weight using the Satterthwaite method (Table C).

Table B. Test for equality of Variances for height and weight of two lettuce varieties.

	Eq	uality of	Variances		
Variable	Method	Num DF	Den DF	F Value	Pr > F
height	Folded F	24	24	1.02	0.9572
weight	Folded F	24	24	2.38	0.0382

The results in Table C show that the probability that plant height and plant weight are equal between the two varieties is less than 0.0001, so we conclude that the two varieties differ with regard to these two measurements. The confidence limits (Appendix 1) show that on average, Terrapin is 6.44 cm taller (range: 7.5 to 5.4) and 388 g heavier (range: 513 to 264) than Floricos 83.

Table C. T-Test for differences in plant height and weight between two lettuce varieties.

		T-Tests			
Variable	Method	Variances	DF	t Value	Pr > t
height	Pooled	Equal	48	-11.97	<.0001
weight	Satterthwaite	Unequal	41.1	-6.26	<.0001

Appendix 1. SAS output page for t test of heights and weights of two lettuce varieties.

Tuesday, October 10, 2000

The SAS System

The TTEST Procedure

Statistics

			Lower CL		Upper CL	Lower CL		Upper CL	
Variable	C1ass	N	Mean	Mean	Mean	Std Dev	Std Dev	Std Dev	Std Err
height	Floricos	25	36.139	36.92	37.701	1.4767	1.8912	2.631	0.3782
height	Terrapin	25	42.571	43.36	44.149	1.4931	1.9122	2.6602	0.3824
height	Diff (1-2)		-7.522	-6.44	-5.358	1.5859	1.9018	2.3759	0.5379
weight	Floricos	25	883.59	953.2	1022.8	131.68	168.64	234.6	33.728
weight	Terrapin	25	1234	1341.4	1448.8	203.23	260.27	362.08	52.054
weight	Diff (1-2)		-512.9	-388.2	-263.5	182.87	219.29	273.96	62.026

T-Tests

Variable	Method	Variances	DF	t Value	Pr > [t]
height	Pooled	Egual	48	-11.97	<.0001
height	Satterthwaite	Unequal	48	-11.97	< .0001
weight	Pooled	Equal	48	-6.26	< . 0001
weight	Satterthwaite	Unequal	41.1	-6.26	<.0001

Equality of Variances

Variable	Method	Num DF	Den DF	F Value	Pr > F
height	Folded F	24	24	1.02	0.9572
weight	Folded F	24	24	2.38	0.0382

Yield comparison of "Terrapin" a cos lettuce to "Floricoa 83" the standard cos cultivar

Table A. Heights and weights of 25 plants of Terrapin and Floricos 83

PLANT #	PLANT H	EIGHT (cm)	PLANT W	EIGHT (grams)
	TERRAPIN	FLORICOS 83	TERRAPIN	FLORICOS 83
1	40	36	1210	780
2	42	34	1325	765
3	45	32	1160	640
4	43	35	1085	655
5	41	33	1175	710
6	45	36	1020	550
7	43	34	1160	605
8	41	37	1350	715
9	45	33	1050	585
10 :	46	33	1185	620
11	42	36	1340	725
12	40	35	1295	690
13	44	32	1370	715
14	43	33	1140	680
15	45	36	1060	550
16	45	34	1140	625
17	46	33	1185	695
18	41	36	1130	630
19	42	34	1320	705
20	43	34	1385	740
21	44	33	1350	730
22	44	32	1240	645
23	41	33	1310	720
24	46	36	1260	630
25	42	35	1050	525
AVG.	43.6	34.2	1212	665

PVP Application:Lettuce Terrapin

Yield comparison of Terrapin to Floricos 83 the standard cos cultivar

A SAS t test procedure was used under the assumption that the true means of the varieties are the same and the variance of the two varieties are equal .In case of unequal variances Satteerthwaite method was used.

Summary

The analysis of the data shows that the yield means of the varieties are not the same. The mean plant biomass expressed as height and weight was highly significant greater for Terrapin compared to Floricos 83. Terrapin was 9.4 cm taller (range: 6.0 to 5.0) and 547g. heavier (range: 365 to 255)than Floricos 83.

Details

Table A presents the yield data (biomass) for height and weight of the lettuce varieties Output for the t test of heights and weights of Terrapin and Floricos 83 are presented in Appendix 1 and tables B and C.

Results

The variances in plant height are equal between the two varieties (Table B) therefore the pooled variance methods is used. The variances for plant weight are not equal, therefore the Satterthwaite method is used.

Table B. Variances for height and weight of two lettuce cultivars

	Eq	uality of Var	iances		1
Variable	Method	Num DF	Den DF	F value	Pr > F
Height	Folded F	24	24	1.62	0.2458
Weight	Folded F	24	24	2.71	00177

Observed differences are real (Table C) statistically significant at better than the 0.1 level. There are a highly significant differences in height and weight of the two varieties. Terrapin produced greater biomass than Floricos 83.

Table C. T-test for differences in plant height and weight between Tarrapin and Floricos

<u>83</u>						
<u> </u>	Variable	Method	Variances	DF	t value	Pr > !t!
	Height	Pooleed	Equal	48	-18.46	< .0001
	Height	Satterthwaite		45.5	-18.46	< <u>.0001</u>
	Weight	Pooled	Equal	48	-20.64	<. <u>0001</u>
	Weight	Satterthwaite		39.6	-20,64	<.0001

```
6,1
    options 1s=80 ps=53;
62
     data;
     input Var $ PltHt PltWt;
63
     cards;
64
NOTE: The data set WORK.DATA2 has 50 observations and 3 variables.
NOTE: DATA statement used (Total process time):
                        0.01 seconds
      real time
                          0.00 seconds
      cpu time
115 proc print; run;
NOTE: There were 50 observations read from the data set WORK.DATA2.
NOTE: PROCEDURE PRINT used (Total process time):
                         0.00 seconds
      real time
                          0.00 seconds
      cpu time
116 proc sort; by var; run;
NOTE: There were 50 observations read from the data set WORK.DATA2.
NOTE: The data set WORK.DATA2 has 50 observations and 3 variables.
NOTE: PROCEDURE SORT used (Total process time):
                          0.21 seconds
      real time
                          0.01 seconds
      cpu time
117 proc means; by var; run;
NOTE: There were 50 observations read from the data set WORK.DATA2.
NOTE: PROCEDURE MEANS used (Total process time):
      real time
                          0.07 seconds
      cpu time
                          0.01 seconds
118 proc ttest;
119 class var;
120 var PltHt PltWt;
121 run;
NOTE: There were 50 observations read from the data set WORK.DATA2.
NOTE: PROCEDURE TTEST used (Total process time):
                           0.00 seconds
       real time
```

0.00 seconds

cpu time

Terrapin

	The SAS S	ystem	10:04 V	Wednesday, Ju	une 1, 200	6)5			
O bs	Var	Plt Ht	Plt Wt		200	10	O	00	6
48	Floricos	36	630						
49	Terrapin	42	1050						
50	Floricos	35	525						

10:04 Wednesday, June 1, 2005 200 1 0 0 0 6

- Var=Floricos -----

The MEANS Procedure

Variable	N	Mean	Std Dev	Minimum	Maximum
PltHt	25	34.2000000	1.5000000	32.0000000	37.0000000
PltWt	25	665.2000000	68.7155975	525.0000000	780.0000000

	_				
va	r=T	er	ra	בם	Ln

Variable	N	Mean	Std Dev	Minimum	Maximum
PltHt	25	43.1600000	1.9078784	40.0000000	46.0000000
PltWt	25	1211.80	113.1543931	1020.00	1385.00

Appendix I

The TTEST Procedure

200100005

Statistics

Variable	Var	N	Lower CL Mean	Mean	Upper CL Mean	Lower CL Std Dev	Std Dev
PltHt PltHt PltHt PltWt PltWt PltWt PltWt	Floricos Terrapin Diff (1-2) Floricos Terrapin Diff (1-2)	25 25 25 25	33.581 42.372 -9.936 636.84 1165.1 -599.8	34.2 43.16 -8.96 665.2 1211.8 -546.6	34.819 43.948 -7.984 693.56 1258.5 -493.4	1.1712 1.4897 1.4311 53.655 88.354 78.064	1.5 1.9079 1.7161 68.716 113.15 93.61

Statistics

		Upper CL		2 W 10.	
Variable	Var	Std Dev	Std Err	Minimum	Maximum
PltHt	Floricos	2.0867	0.3	32	37
PltHt	Terrapin	2.6541	0.3816	40	46
PltHt	Diff (1-2)	2.1439	0.4854		
PltWt	Floricos	95.594	13.743	525	780
PltWt	Terrapin	157.41	22.631	1020	1385
PltWt	Diff (1-2)	116.95	26.477		

T-Tests

Variable	Method	Variances	DF	t Value	Pr > t
PltHt	Pooled	Equal	48	-18.46	<.0001
PltHt	Satterthwaite	Unequal	45.5	-18.46	<.0001
PltWt	Pooled	Equal	48	-20.64	<.0001
P1tWt	Satterthwaite	Unequal	39.6	-20.64	<.0001

Equality of Variances

Variable	Method	Num DF	Den DF	F Value	Pr > F
PltHt	Folded F	24	24	1.62	0.2458
PltWt	Folded F	24	24	2.71	0.0177

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE. LIVESTOCK AND SEED DIVISION

TILX.

OBJECTIVE DESCRIPTION OF VARIETY

ME OF APPLICANT (S)				
Grower's Management I	ne Roth Farms In	c and TKM Farms Inc		AL USE ONLY
DRESS (Street and No. or R.F.D. No.			PVPO NUMBER	
A	City, State, and ZIP Code)	•	200	00006
) NGC P.O. Box 130		nive	VARIETYRAME	10
Belle Grade, FL 334	120		EXPERIMENTAL DESI	(/)
Delle Grade, FL 334	+30	32814	EXPERIMENTAL DES	CNATION
ce numbers in the boxes for the characted plants. Royal Horticultural Societ	ters which best describe this or any recognized color s	is variety. Measured data should b tandard may be used to determine	e the mean of an appropriate n	umber (at least 10) of v
location of the test area is:	ŧ	Color System Used		
BEINGLAR, F	IOVICA. ted check varieties page 4.1	<u> </u>		
10 10- 0- 0099-0				
01=Cutting/Leaf 02=Butterhead	05=Great Lake: 06=Vanguard G			
03=Sibb	07=Imperial Gr	OUD 13#OTHER:		
C4=Cos or Romai	ine C8=Eastern (It)	aca) Group		
SEED: COLOR 1=White (Silver Gray)	LIGHT DO	RMANCY HEA	TOORMANCY	
2=Black (Gray Brown)		1 1 1 1-00	sceptible	
3=Brown (Amber)	2= Light No		ot Susceptible	
COTYLEDON TO FOURTH LEAF ST	AGE: NOTE: Provice a d	color photograph or photocopy of er optimal conditions,	the fourth leaf from 20 day of	d seedling
2 SHAPE OF COTYLEDON		2=Intermediate 3=Spati		
				`
•				
	•		\wedge	+
SHAPE OF FOURTH LEA	YF:		//\	:"
			الح ۱۱۱	<u>L</u> ,
			$ 1 \rangle 2 \rangle$	
)
			111 51	}
			$ 1 \rangle 2 \rangle$	3
				3
()			1	3
				3
			5 6	3
	2 3	4	5 6	3
			5 6	3
1 LENGTH/WIDTH INDEX	2 3 OF FOURTH LEAF: LAW	×10	5 6	3
	OF FOURTH LEAF: L/W		5 6	3
1 LENGTH/WIDTH INDEX APICAL MARGIN:	OF FOURTH LEAF: L/W	4=Moderately Dentate	5 6 7-Lobed	3
APICAL MARGIN:	OF FOURTH LEAF: L/W 1=Entire 2=Creanate/Griawed	4=Moderately Dentate 5=Coarsely Dentate	7=Lobed 8=OTHER (specify)	3
APICAL MARGIN:	OF FOURTH LEAF: L/W	4=Moderately Dentate	and the second of the second o	3
APICAL MARGIN:	OF FOURTH LEAF: L/W 1=Entire 2=Creanate/Griawed	4=Moderately Dentate 5=Coarsely Dentate	and the second of the second o	4=Marked
APICAL MARGIN: BASAL MARGIN:	OF FOURTH LEAF: L/W 1=Entire 2=Creanate/Grawed 3=Finely Dentate 1=Flat 1=Yellow Green	4=Moderately Dentate 5=Coarsely Dentate 6=Incised 2=Slight 3=Medium Green	8=OTHER (specify) 3=Medium 5=Blue Green	4=Marked 7=Gray Green
APICAL MARGIN: BASAL MARGIN: UNDULATION: GREEN COLOR:	OF FOURTH LEAF: L/W 1=Entire 2=Creanate/Gnawed 3=Finely Dentate 1=Flat	4=Moderately Dentate 5=Coarsely Dentate 6=Incised 2=Slight	8=OTHER (specify) 3=Medium	general de la companya de la company
APICAL MARGIN: BASAL MARGIN: UNDULATION:	OF FOURTH LEAF: L/W 1=Entire 2=Creanate/Grawed 3=Finely Dentate 1=Flat 1=Yellow Green	4=Moderately Dentate 5=Coarsely Dentate 6=Incised 2=Slight 3=Medium Green	8=OTHER (specify) 3=Medium 5=Blue Green 6=Silver Green	general de la companya de la company
APICAL MARGIN: BASAL MARGIN: UNDULATION: GREEN COLOR: ANTHOCYANIN:	OF FOURTH LEAF: L/W 1=Entire 2=Creanate/Griawed 3=Finely Dentate 1=Flat 1=Yellow Green 2=Light Green	4=Moderately Dentate 5=Coarsely Dentate 6=Incised 2=Slight 3=Medium Green	8=OTHER (specify) 3=Medium 5=Blue Green	
APICAL MARGIN: BASAL MARGIN: UNDULATION: GREEN COLOR:	OF FOURTH LEAF: L/W 1=Entire 2=Creanate/Griawed 3=Finely Dentate 1=Flat 1=Yellow Green 2=Light Green	4=Moderately Dentate 5=Coarsely Dentate 6=Incised 2=Slight 3=Medium Green 4=Dark Green	8=OTHER (specify) 3=Medium 5=Blue Green 6=Silver Green	The second s
APICAL MARGIN: BASAL MARGIN: UNDULATION: GREEN COLOR: ANTHOCYANIN: DISTRIBUTION:	OF FOURTH LEAF: L/W 1=Entire 2=Creanate/Gnawed 3=Finely Dentate 1=Flat 1=Yellow Green 2=Light Green 1=Absent 2=Margin Only	4=Moderately Dentate 5=Coarsely Dentate 6=Incised 2=Slight 3=Medium Green 4=Dark Green 3=Spotted 4=Throughout	8=OTHER (specify) 3=Medium 5=Blue Green 6=Silver Green 5=OTHER (specify)	
APICAL MARGIN: BASAL MARGIN: UNDULATION: GREEN COLOR: ANTHOCYANIN:	OF FOURTH LEAF: L/W 1=Entire 2=Creanate/Griawed 3=Finely Dentate 1=Flat 1=Yellow Green 2=Light Green	4=Moderately Dentate 5=Coarsely Dentate 6=Incised 2=Slight 3=Medium Green 4=Dark Green	8=OTHER (specify) 3=Medium 5=Blue Green 6=Silver Green	
APICAL MARGIN: BASAL MARGIN: UNDULATION: GREEN COLOR: ANTHOCYANIN: DISTRIBUTION:	OF FOURTH LEAF: L/W 1=Entire 2=Creanate/Gnawed 3=Finely Dentate 1=Flat 1=Yellow Green 2=Light Green 1=Absent 2=Margin Only	4=Moderately Dentate 5=Coarsely Dentate 6=Incised 2=Slight 3=Medium Green 4=Dark Green 3=Spotted 4=Throughout	8=OTHER (specify) 3=Medium 5=Blue Green 6=Silver Green 5=OTHER (specify)	The second s
APICAL MARGIN: BASAL MARGIN: UNDULATION: GREEN COLOR: ANTHOCYANIN: DISTRIBUTION: CONCENTRATION:	OF FOURTH LEAF: L/W 1=Entire 2=Creanate/Griawed 3=Finely Dentate 1=Flat 1=Yellow Green 2=Light Green 1=Absent 2=Margin Only 1=Light	4=Moderately Dentate 5=Coarsely Dentate 6=Incised 2=Slight 3=Medium Green 4=Dark Green 3=Spotted 4=Throughout 2=Moderate	8=OTHER (specify) 3=Medium 5=Blue Green 6=Silver Green 5=OTHER (specify)	The second s
APICAL MARGIN: BASAL MARGIN: UNDULATION: GREEN COLOR: ANTHOCYANIN: DISTRIBUTION: CONCENTRATION:	OF FOURTH LEAF: L/W 1=Entire 2=Creanate/Griawed 3=Finely Dentate 1=Flat 1=Yellow Green 2=Light Green 1=Absent 2=Margin Only 1=Light	4=Moderately Dentate 5=Coarsely Dentate 6=Incised 2=Slight 3=Medium Green 4=Dark Green 3=Spotted 4=Throughout 2=Moderate	8=OTHER (specify) 3=Medium 5=Blue Green 6=Silver Green 5=OTHER (specify)	The second s
APICAL MARGIN: BASAL MARGIN: UNDULATION: GREEN COLOR: ANTHOCYANIN: DISTRIBUTION: CONCENTRATION: ROLLING:	OF FOURTH LEAF: L/W 1=Entire 2=Creanate/Griawed 3=Finely Dentate 1=Flat 1=Yellow Green 2=Light Green 1=Absent 2=Margin Only 1=Light 1=Absent	4=Moderately Dentate 5=Coarsely Dentate 6=Incised 2=Slight 3=Medium Green 4=Dark Green 3=Spotted 4=Throughout 2=Moderate 2=Present	8=OTHER (specify) 3=Medium 5=Blue Green 6=Silver Green 5=OTHER (specify) 3=Intense	The second s

			200	100006
		re outer leaves): ture leaves which accurately shows color a	ind margin characteristics,	•
2	MARGIN: INCISION DEPTH: Ideepest penetration of th	1=Absent/Shallow (Dark Green Boston) le margin)	2~Moderate (Vanguard)	3=Deep (Great Lakes 659
2	INDENTATION: Iffinest divisions of the margin	1=Entire (Dark Green Boston) , 2=Shallowly Dentate (Great Lakes 65)	3=Deeply Dentate (Great Lakes 659) 4=Crenate (Vanguard)	5=OTHER (apecify)
	UNDULATION OF THE APICAL MARGIN:	1=Absent/Slight (Dark Green Boston)	2=Moderate (Vanguard)	3=Strong (Great Lakes 65
3	GREEN COLOR:	1=Very Light Green (Bibb) 2=Light Green (Minetto)	3=Medium Green (Greet Lakes) 4=Dark Green (Vanguard)	5=Very Dark Green 6=OTHER
	ANTHOCYANIN (grown at o	r below 10 C):		•
	DISTRIBUTION:	1=Absent 2=Margin Cnly (Big Boston)	3=Spotted (Calif, Cream Butter) 4=Throughout (Prize Head)	5=OTHER (specify)
	CONCENTRATION:	1=Light (Iceberg)	2=Moderate (Prize Head)	3=Intense (Ruby)
- 3	SIZE:	1=Smail	2=Medium	3=Large
2	GLOSSINESS:	1=Dull (Vanguard)	2=Moderate (Salinas)	3=Glossy (Great Lakes)
2	BLISTERING:	1=Absent/Slight (Salinas)	2=Moderate (Vanguard)	3=Strong (Prize Head)
2	LEAF THICKNESS:	1=Thin	2=Intermediate	3=Thick
	TRICHOMES:	1=Absent (smooth)	2=Present (spiny)	
	cm This Variety HEAD DIAMETER (market tri cm This Variety	NH	(specify comparison variety	
4	HEAD SHAPE:	1=Flattened 2=Slightly Flattened	3=Spherical 4=Elongate	5=Non-Heading 6=OTHER
3	HEAD SIZE CLASS:	1=Small	2=Medium	3≃Large
24	HEAD COUNT PER CARTON			
3411	HEAD WEIGHT: 9 This Variety	TOTAL TIMES &	المستعدد	
		191513, Haricos 8	(specify comparison variety	
Ū	HEAD FIRMNESS:	1=Locse 2=Moderate	3=Firm 4=Very Firm	
BUTT (botte	om of market-trimmed head):	1=Locse	3=Firm 4=Very Firm	
3 2	om of market-trimmed head): SHAPE:	1=Locse 2=Moderate 1=Slightly Concave	3=Firm 4=Very Firm 2=Flat	3≃Rounded
3 2	HEAD FIRMNESS: om of market-trimmed head): SHAPE: MIDRIB:	1=Locse 2=Moderate	3=Firm 4=Very Firm 2=Flat	3=Rounded 3=Prominently Raised:{Gre
2 CORE (atem	om of market-trimmed head): SHAPE:	1=Locse 2=Moderate 1=Slightly Concave	3=Firm 4=Very Firm 2=Flat	3≖Rounded 3≖Prominently Bajsed∜Gre
2 CORE (atem 38	HEAD FIRMNESS: om of market-trimmed head): SHAPE: MIDRIB: of market-trimmed head):	1=Locse 2=Moderate 1=Slightly Concave I=Flattened (Salinas)	3=Firm 4=Very Firm 2=Flat	3=Rounded 3=Prominently Raised:{Gre
3 CORE (stem 3 8)	HEAD FIRMNESS: om of market-trimmed head): SHAPE: MIDRIB: of market-trimmed head): mm Diameter at base of head	1=Locse 2=Moderate 1=Slightly Concave 1=Flattened (Salinas)	3=Firm 4=Very Firm 2=Flat 2=Moderately Raised	3=Rounded 3=Prominently Raised (Gre Lakes 658
3 CORE (atem 38 1.0	HEAD FIRMNESS: om of market-trimmed head): SHAPE: MIDRIB: of market-trimmed head): mm Diameter at base of head Ratio of head diameter/core diameter head to the second head to the	1=Locse 2=Moderate 1=Slightly Concave 1=Flattened (Salinas) meter Dapex Toylog & NOTE: First Water Date is to	3=Firm 4=Very Firm 2=Flat 2=Moderately Raised 3	3=Rounded 3=Prominently Raised (Gre Lakes: 659
CORE (stem 3 8	MEAD FIRMNESS: om of market-trimmed head): SHAPE: MIDRIB: of market-trimmed head): mm Diameter at base of head Ratio of head diameter/core dial Core height from base of head to mm This Variety Give First Water Date 4-6-0	1=Locse 2=Moderate 1=Slightly Concave 1=Flattened (Salinas) meter Dapex Toylog & NOTE: First Water Date is to	3=Firm 4=Very Firm 2=Flat 2=Moderately Raised 3	3=Prominently Baised (Gre Lakes 659
CORE (stem 3 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	MEAD FIRMNESS: om of market-trimmed head): SHAPE: MIDRIB: of market-trimmed head): mm Diameter at base of head Ratio of head diameter/core dial Core height from base of head to mm This Variety Give First Water Date 4-6-0 Number of days from First Wate This Variety BOLTING CLASS:	1=Locse 2=Moderate 1=Slightly Concave 1=Flattened (Salinas) meter 0 apex	3=Firm 4=Very Firm 2=Flat 2=Moderately Raised 3	3=Prominently Baised (Gre Lakes 659

2=Curved
2=Dentate
2=Medium Green 3=Dark Green
2=Present
2=Present
2=Present
CHECK VARIETY 2/
5 83
5 83
5 83
da
da
da
propriate line.
0=Not tested 1=Not Adapted 2=Adapted)
ortheast
THER
all (area Florida + Northeast
The land
Not Adapted 2=Adapted
-

	<u>VIRUS</u>	FUNGAL/BACTERIAL
	⊘ Big Vein	Corky Root Rot (Pythium Root Rot)
• • • • • • • • • • • • • • • • • • •	C Lettuce Mosaic	Downy Mildew (Races)
	Cucumber Mosaic	Powdery Mildew
	Sroad Bean Wilt	Sclerotinia Rot
$0 \leq \frac{1}{n} \leq \frac{1}{n} \leq \frac{1}{n} \leq \frac{1}{n} \leq \frac{1}{n}$	Turnip Mossic	Bacterial Soft Rot (Pseudomonas spp. & others)
	3eet Western Yellows	8 Botrytis (Gray Mold)
	Lett. Infectious Yellows	OTHER
	Other Virus	
	INSECTS	PHYSIOLOGICAL/STRESS
	Cabbage Loopers	2 Tipburn O Salt
	Root Aphids	2 Heat O Brown Rib (Rib Discoloration, Rib Blight)
	Green Peach Aphid	O Drought OTHER
	Other Insect_	O Cold
	Pink Rib	HARVEST CONTRACTOR OF THE CONT
	Russet Spotting	Internal Rib Necrosis (Blackheart, Gray Rib, Gray Streak)
		O Brown Stain
	Rusty Brown Discoloration	
12. BIOCHEMICA	AL OR ELECTROPHORETIC MARKERS:	
13. COMMENTS:		

SUGGESTED CHECK VARIETIES


TYPE

CUTTING/LEAF BUTTERHEAD BIBB COS, OR ROMAINE GREAT LAKES GROUP VANGUARD GROUP IMPEHIAL GROUP EASTERN GROUP STEM LATIN

1) 2) 3) 4) 5) 6) 7) 8) 9)

CHECK VARIETY

SALAD BOWL
DARK GREEN BOSTON
BIBB
PARRIS ISLAND
GREAT LAKES 659-700
VANGUARD
VIVA
ITHACA
CELTUCE
MATCHLESS





P.O. Box 948153

Maitland, Florida 32794-8153 Phone (321) 214-5200 Fax (321) 214-0210

June 7, 2005

Ms. Robin A. Davis, Senior Examiner Plant Variety Protection Office NAL Bldg., Room 400 10301 Baltimore Avenue Beltsville, MD 20705-2351

Dear Ms. Davis:

Re: Lettuce Applications No. 200100006, "Terrapin" and 2001000005 "Snappy"

Please be advised that we are requesting transfer of PVP ownership from the Florida Vegetable Exchange to the following joint entities: Grower's Management; Roth Farms and TKM Farms for the two lettuce varieties referenced above. Please forward all correspondence related to these varieties to the following representative of the joint entities:

David Basore

Grower's Management

Physical Address: 1100 N. Main Street, Ste. D

Mailing Address: P.O. Box 130

Belle Glade, FL 33430 Phone: (561) 996-6469 Fax: (561) 996-6480 growersmgt@aol.com

If you have any questions, please do not hesitate to contact me.

Sincerely,

Danny Raulerson, Manager Florida Vegetable Exchange

P.O. Box 948153

Maitland, FL 32794-8153

Phone: (321) 214-5200 Fax: (321) 214-0210

danny.raulerson@ffva.com

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE	The following statements are made in 1974 (5 U.S.C. 552a) and the Paperwood	n accordance with the Privacy Act of
EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	1	stermine if a plant variety protection 421). Information is held confidential
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME
Grower's Management Inc., Roth Farms Inc., and TKM Farms Inc.	GX816	Terrapin
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (include area code)	6. FAX (include area code)
KAP 15	561-996-6469 8 13 6	561-996-6480 8 13 05
P.O. Box 130 Belle Grade, FL 33430 **RAY 3 05	7. PVPO NUMBER 2 0 0	100006
8. Does the applicant own all rights to the variety? Mark an "X" in appropri	riate block. If no, please explain.	YES NO
		-
	•	•
9. Is the applicant (individual or company) a U.S. national or U.S. based or	ompany?	✓ YES NO
If no, give name of country 10. Is the applicant the original owner? YES		<u></u>
b. If original rights to variety were owned by a company(ies), is(are) the	If no, give name of country original owner(s) a U.S. based company	?
✓ YES	IO If no, give name of country	
11. Additional explanation on ownership (if needed, use reverse for extra se	pace):	
PLEASE NOTE:		
Plant variety protection can be afforded only to owners (not licensees) who meet or	ne of the following criteria:	
 If the rights to the variety are owned by the original breeder, that person must be which affords similar protection to nationals of the U.S. for the same genus and 		er country, or national of a country
If the rights to the variety are owned by the company which employed the origin member country, or owned by nationals of a country which affords similar prote	nal breeder(s), the company must be U.S. bas ection to nationals of the U.S. for the same g	ed, owned by nationals of a UPOV enus and species.
3. If the applicant is an owner who is not the original owner, both the original own	er and the applicant must meet one of the ab	ove criteria.
The original breeder/owner may be the individual or company who directed final be	reeding. See Section 41(a)(2) of the Plant Vi	ariety Protection Act for definition.
	· · · · · · · · · · · · · · · · · · ·	

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to compete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching axisting data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

STD-470-E (07-97) (Destroy previous editions).

Electronic version designed using WordPerfect InForms by USDA-AMS-IMB.